

SKYSPANTM

ARCHITECTURAL UMBRELLA & HYPAR RANGE



Style without Compromise





Index	2
About Us	3
Architectural Umbrellas	4
Umbrella Features	5 - 6
The Portable Range	7
The Horizon Range	8
The Sunset Range	9
The Typhoon Range	10
The Vista Range	11
The Panorama Range	12
The Hyper Range	13
Umbrella Options	14 - 15
Umbrella Specifications	16 - 17
Product Specification Matrix	18
Related Architectural Products Cover Page	19
Architectural Index	20
Architectural Structures	21
Bioclimatic Facade Systems	22
Cable Structures	23
Accreditations	24



ABOUT US

SKYSPAN™ is an Australia owned and operated company established in the early 1990's with our Head Office based on Brisbane's South side. We are proud to be considered among the industry leaders in design, manufacture and installation of architectural, commercial and residential shade solutions.

Our turn-key service begins with our unique designs, which are all certified by our in-house structural engineers and wind rated to meet or exceed Australian standards.

SKYSPAN™ is a 'preferred supplier' under Q.L.D Local Buy and S.A. LGCS (Local Government Corporate Services) contract for open spaces, parks, gardens and all ability playgrounds, works, goods and services (Contract: BUS 201-0810). Local Buy and LGCS contracts are fully compliant with the requirements of Local Government Act 2009 and the subsequent financial regulations.

Through our successfully asserted presence within Australia and throughout the International Arena, in 2010 SKYSPAN STRUCTURES USA opened their new office in North America servicing both the USA and Canada.

SKYSPAN™ promotes a culture of innovation and accountability which ensures complete quality control and quality assurance, with our systems continually improving to anticipate, meet and exceed client's expectations. Our core value is to manufacture and provide the best quality shade solutions on the market today.





ARCHITECTURAL UMBRELLAS

SKYSPAN™ umbrellas demonstrate the perfect culmination of elegance and style with the ability to turn any outdoor area into an extraordinary luxurious leisure retreat.

Every Umbrella is proudly made in Australia, architecturally designed and engineered to ensure stability and durability in our extreme weather conditions, including UV protection and a wind rating certification of up to 148km/h (W41).

SKYSPAN™ is proud to be able to offer our clientele a wide range of architectural umbrellas that include the following options:

- Centre column, cantilevered, and gazebo styles
- Square, hexagonal, rectangle and custom shapes
- Marine grade stainless steel catenary cables and fittings
- Full alloy frame available in selected ranges (carrying a lifetime anti-rust warranty)
- Full colour range, corporate branding and graphic design service
- Engineered wind rating from 118km/h (W31) to 141km/h (W41)
- Unique concealed gear drive mechanism available on selected models for fast and easy retraction
- Complete turnkey package including consultation, design and installation
- Range of accessories, including lighting, heating, power, curtain systems, joiner panels, and rain lip

To find out more visit www.skyspan-umbrellas.com.au



SKYSPAN™ UMBRELLA FEATURES



INDUSTRY LEADING AUSTRALIAN WARRANTY

Skyspan™ Umbrellas offer true peace of mind with **lifetime anti rust warranty** on Aluminium umbrella and up to 10 years structural and 5 year canopy warranties on selected product lines.

AUSTRALIAN DESIGN, MANUFACTURE & SUPPORT

When you buy a Skyspan™ Umbrella you are not only supporting Australian industry. Skyspan™ customers receive world class quality products specifically designed to suit Australian conditions in shorter time frames than competitors who import their product. Skyspan™ quality control process includes inspection of EACH unit prior to packaging, crating and shipping.




MAINTENANCE

Skyspan™ offer a comprehensive maintenance program to ensure correct operation of your Skyspan™ umbrella to fulfil your warranty. With a Skyspan™ professional service you will receive the following:

- Ensure canopy edge cable is seated correctly.
- Tighten and secure edge cable.
- Review positioning and condition of fabric.
- Ensure canopy is positioned correctly over top plate.
- Check and tighten all nuts and bolts
- Apply grease to moving parts
- Check jack and winding mechanism (if applicable)
- Check anti-creep lock is correctly positioned (if applicable)
- Check pivot locking bolt is correctly positioned (if applicable)
- Ensure sail track is tight on perimeter frame (if applicable)
- Free end caps and base plugs
- Full written report (emailed)



SKYSPAN™ UMBRELLA FEATURES



ENGINEERED & WIND RATED

Skyspan™ Architectural Umbrellas come with an Engineer Wind Rating Certification, be it our Portable Umbrellas (60Km/h), Vista & Sunset ranges (112Km/h open, 148Km/h retracted) or our cyclone rated Typhoon & Panorama ranges (148Km/h open).

Stylish Cast Base Plates

At Skyspan™ we pay attention to detail. Starting at the bottom our custom cast alloy base plates provide a clean look whilst adding durability and strength to the design.



EASY WIND OPENING & RETRACTING

In the middle our “Easy Wind” retraction system utilises a unique “rack and pinion” gear system which along with our “Anti-Jam” crank lift allow for easy, fast and reliable opening/closing of canopies. A simple but unique lever allows the umbrella to be locked in the open position for safety when used in public spaces. The removable handle leaves a clean aesthetic appearance whilst preventing unauthorised operation.














Concealed Cables

At the canopy level, our concealed stainless perimeter cable gives the canopy it's curved contemporary profile and overall chic quality. All hardware is manufactured from marine grade stainless steel for maximum strength and longevity.






THE PORTABLE RANGE

















STYLES AVAILABLE			WIND RATING		FRAME MATERIAL		COLUMN TYPE			FEATURES			PRICE		
															
SQUARE	HEXAGONAL	RECTANGULAR	148km/h	112km/h	ALUMINIUM	STEEL	CENTRE COLUMN	CANTILEVERED	GAZEBO	PORTABLE	FIXED	RETRACTABLE	ENTRY LEVEL	STANDARD	PREMIUM

Our Portable range is designed to be light & easy to handle, easily removable from in-ground sockets or above-ground base plates, compatible with a large assortment of existing tables and sockets, yet able to withstand wind gusts of up to 60 kph

- Available in 1.9m, 2.4m, 3.0m & 3.5m sizing.
- Easily retracted or opened with a rope and pulley system.
- Made from high tensile, corrosion resistant structural powder coated aluminium.
- Outside column diameter of Ø49mm which fits inside most standard table umbrella holes.
- Low maintenance, translucent, heat reflective, UV treated and fully welded architectural grade PVC membrane available in a large variety of colours.
- Marine grade stainless steel catenary cables and fittings.
- 1 year warranty on frame and fabric.
- Engineered up to 60km/h wind rating
- Accessory options include 'in-ground' or 'above-ground' lockable base plates and corporate branding.





STYLES AVAILABLE			WIND RATING		FRAME MATERIAL		COLUMN TYPE			FEATURES			PRICE		
															
SQUARE	HEXAGONAL	RECTANGULAR	W41	W33	ALUMINIUM	STEEL	CENTRE COLUMN	CANTILEVERED	GAZEBO	PORTABLE	FIXED	RETRACTABLE	ENTRY LEVEL	STANDARD	PREMIUM

Designed with flexibility in mind, the Horizon range is ideal for Alfresco Dining, Resorts and Entertainment Venues. Available in several shapes with high corrosion resistance materials, a wide range of accessories and a W33 (112kph) wind rating, it's easy to see why the Horizon range is a favourite.

- Available in square, hexagonal or rectangular shapes.
- 2.4m – 5.6m standard sizing.
- Made from a high tensile, corrosion resistant, structural alloy, powder coated to any colour in the Dulux/Interpon range.
- Low maintenance, translucent, heat reflective, UV treated and fully welded architectural grade PVC membrane available in a large variety of colours.
- Marine grade stainless steel catenary cable and fittings.
- 10 year frame anti-rust policy, 5 year structural warranty on the frame & minimum 5 year fabric manufacturer's warranty on the canopy.
- Engineer wind rated to 112 kph (W33).
- Accessory options include integrated PVC fabric curtains, rain diverters, link panels (to join umbrellas), corporate branding, down/up lights, heaters and speaker systems.





THE SUNSET RANGE

STYLES AVAILABLE			WIND RATING		FRAME MATERIAL		COLUMN TYPE			FEATURES			PRICE		
SQUARE	HEXAGONAL	RECTANGULAR	148km/h CLOSED	112km/h OPEN	ALUMINIUM	STEEL	CENTRE COLUMN	CANTILEVERED	GAZEBO	PORTABLE	FIXED	RETRACTABLE	ENTRY LEVEL	STANDARD	PREMIUM

















The brilliance of our Sunset umbrellas is that in extreme weather conditions they can be retracted easily and quickly. The unique gearing mechanism neatly concealed within the column of the umbrella allows the unit to be wound down via removable handle or automatically via remote control, ideal for cafes, restaurants and holiday resorts.

- Available in square, hexagonal and rectangular shapes.
- 2.4m – 5.6m standard sizing.
- Fully retractable with optional remote control for ease of retracting or deploying the canopy.
- Made from high tensile, corrosion resistant structural grade aluminium, powder coated to any colour in the Dulux/Interpon range.
- Low maintenance, translucent, heat reflective, UV treated and fully welded architectural grade PVC membrane available in a large variety of colours.
- 10 year frame anti rust policy, 5 year structural warranty & 2 year warranty on the canopy.
- Marine grade stainless steel catenary cable and fittings.
- Engineered wind rated 112 kph (W33) open & 148 kph (W41) closed.
- Accessory options include fabric curtains, rain diverters, link panels (joining umbrellas), corporate branding, down/up lights, heaters and speaker systems.






THE TYPHOON RANGE

STYLES AVAILABLE			WIND RATING		FRAME MATERIAL		COLUMN TYPE			FEATURES			PRICE		
															
SQUARE	HEXAGONAL	RECTANGULAR	148 _{mm} OPEN	112 Km/h	ALUMINIUM	STEEL	CENTRE COLUMN	CANTILEVERED	GAZEBO	PORTABLE	FIXED	RETRACTABLE	ENTRY LEVEL	STANDARD	PREMIUM

















The clear choice for coastal resorts, exposed public spaces and wind-prone environments. Typhoon umbrellas are engineer certified to a wind rating W41 (148 KPH). Combine that with an industry leading structural & canopy warranty and you have shade with piece of mind.

- Available in square, hexagonal and rectangular shapes.
- 2.4m – 5.6m standard sizing.
- Made from high tensile, structural grade aluminium with additional bracing for strength, powder coated to any colour in the Dulux/Interpon range.
- Low maintenance, translucent, heat reflective, UV treated and fully welded architectural grade PVC membrane available in a large variety of colours.
- Marine grade stainless steel catenary cable and fittings.
- 10 year frame anti rust policy, 5 year structural warranty on the frame & canopy.
- Engineer wind rated to 148 kph (W41).
- Range of accessories including lighting, heating, corporate branding & link panels.



* CURTAINS DRAMATICALLY REDUCE THE WIND RATING OF THE UMBRELLA .



STYLES AVAILABLE			WIND RATING		FRAME MATERIAL		COLUMN TYPE			FEATURES			PRICE		
															
SQUARE	HEXAGONAL	RECTANGULAR	148km/h CLOSED	112km/h OPEN	ALUMINIUM	STEEL	CENTRE COLUMN	CANTILEVERED	GAZEBO	PORTABLE	FIXED	RETRACTABLE	ENTRY LEVEL	STANDARD	PREMIUM

















The Vista range has a cantilevered frame ideal for pools, cafes and public spaces where clear space under the canopy is preferred. The optional 360 degree pivoting base is perfect for utilising the shade at varying times of the day or for covering more than one area.

- Available in square, hexagonal and rectangular shapes.
- 2.4m – 5.6m standard sizing.
- Proprietary concealed winding mechanism allows for quick retracting in extreme weather.
- Made from a hot dipped galvanised structural steel, powder coated to any Dulux/Interpon colour.
- Low maintenance, translucent, heat reflective, UV treated and fully welded architectural grade PVC membrane available in a large variety of colours.
- Marine grade stainless steel catenary cable and fittings.
- 5 year structural warranty on the frame & 2 year warranty on the canopy.
- Engineer wind rated to 112 kph (W33) open & 148 kph (W41) closed.
- Accessory options include 360 degree pivot base, PVC curtains, rain diverters, link panels (joining umbrellas), corporate branding, down/up lights, heaters and speaker systems.





THE PANORAMA RANGE

















STYLES AVAILABLE			WIND RATING		FRAME MATERIAL		COLUMN TYPE			FEATURES			PRICE		
															
SQUARE	HEXAGONAL	RECTANGULAR	W41 148km/h OPEN	W33 112km/h OPEN	ALUMINIUM	STEEL	CENTRE COLUMN	CANTILEVERED	GAZEBO	PORTABLE	FIXED	RETRACTABLE	ENTRY LEVEL	STANDARD	PREMIUM

The Panorama range's primary feature is its perimeter frame. The structural perimeter frame makes hanging curtains a breeze, allows for easy mounting of heating, cooling and lighting systems whilst contributing to a W41 (148kph) wind rating.

- Available in centre column, cantilevered or gazebo style post arrangements.
- 3.0m – 8.0m standard sizing.
- Non Retractable.
- Frame constructed from structural grade C350 steel, hot dip galvanised and powder coated to any colour in the Dulux/Interpon range
- Low maintenance, translucent, heat reflective, UV treated and fully welded architectural grade PVC membrane available in a large variety of colours.
- 5 year structural warranty on the frame & minimum 5 year fabric manufacturer's warranty on the canopy.
- Engineered to W41 (148kph) winds in terrain category 3 for areas with high wind conditions.
- Accessory options include PVC curtains, gutters, link panels (joining adjacent umbrellas), corporate branding, down/up lights, heaters, electrical access points and speaker systems.





STYLES AVAILABLE			WIND RATING		FRAME MATERIAL		COLUMN TYPE			FEATURES			PRICE		
															
SQUARE	HEXAGONAL	RECTANGULAR	148Km/h	112Km/h	ALUMINIUM	STEEL	CENTRE COLUMN	CANTILEVERED	GAZEBO	PORTABLE	FIXED	RETRACTABLE	ENTRY LEVEL	STANDARD	PREMIUM

Looking for something different? Skyspan's Hypar range is a new take on the classic umbrella style. Proving popular with Architects and Designers, our Hypars are often found in public spaces, commercial precincts, shopping centres and the like. Talk to us about a custom solution for your shade requirement today.

- Standard shape is square - Custom design is available.
- 2.4m – 5.6m sizing.
- Non retractable - centre column and cantilever options available.
- Made from a hot dipped galvanised structural steel powder coated to any Dulux/Interpon colour.
- PVDF fully welded canopies with wide range of colours available.
- Marine grade stainless steel accessories, catenary cable and fittings.
- 5 year warranty on frame and 2 year warranty on the canopy.
- Engineered wind rated to 112 kph (W33) or 148 kph (W41) as required.
- Accessory options include screen printing, down/up lights, heaters, electrical access points, misting units and speaker systems.



SKYSPAN™ UMBRELLA ACCESSORIES



Electrical Heating

Skyspan™ Offers the option of including integrated Electrical Wiring to be supplied ex-factory for accessories including electric heating units, lighting & speaker systems

Lighting

Up-lighting, down-lighting & strip-lighting are able to be provided, both Factory-Fitted and Retro-fitted.




Curtain Systems

Skyspan™ Umbrellas offer the facility of side-curtains in order to create a more sheltered and cosy environment, note will may effect the umbrellas Wind Rating.

Fabric and Frame colour options

Skyspan™ offer a complete range of powdercoating colours from the Dulux/Interpon range for frames and a comprehensive set of canopy colours from the Ferrari 502 range.



SKYSPAN™ UMBRELLA ACCESSORIES



Corporate Branding

Corporate branding options available, including full-colour screen printing.

Electrical Plug Sockets

Electrical Plug Sockets are offered as an option to assist in ensuring patrons on the go are able to stay longer if the need arises.



Joiner Panels

Joiner panels are used to link umbrella units together to provide a simple but effective weather-proof solution between adjacent Skyspan™ Umbrellas.

Pivot Base

Our Pivot-Base allows the Vista Cantilevered Umbrella to rotate freely through 360 degrees, allowing optimal use of the umbrellas shade throughout the day.




SPECIFICATIONS

PORTABLE RANGE

ALUMINIUM • RETRACTABLE • CENTRE COLUMN • 60KPH WIND RATING

SQUARE,
CENTER COLUMN




MODEL	L	W	H	H1
S19SP	1900	1900	2250	3050
S24SP	2450	2450	2250	3050
S30SP	3050	3050	2250	3050

SUNSET RANGE


ALUMINIUM • RETRACTABLE • CENTRE COLUMN • W33 WIND RATING

SQUARE,
CENTER COLUMN




MODEL	L	W	H	H1
S24S	2380	2380	2250	3140
S30S	3130	3130	2250	3340
S35S	3500	3500	2250	3366
S40S	4000	4000	2410	3530

RECTANGULAR
CENTER COLUMN



MODEL	L	W	H	H1
S43R	3950	2950	2370	3400

HEXAGONAL
CENTER COLUMN



MODEL	L	W	H	H1
S44H	4415	3830	2250	3325
S50H	4360	4310	2250	3350
S56H	5610	4880	2270	3445

HORIZON RANGE


ALUMINIUM • NON RETRACTABLE • CENTRE COLUMN • W33 WIND RATING

SQUARE,
CENTER COLUMN




MODEL	L	W	H	H1
H24S	2380	2380	2250	3140
H30S	3130	3130	2250	3340
H35S	3500	3500	2250	3366
H40S	4000	4000	2410	3530

RECTANGULAR
CENTER COLUMN



MODEL	L	W	H	H1
H43R	3950	2950	2370	3400

HEXAGONAL
CENTER COLUMN



MODEL	L	W	H	H1
H44H	4415	3830	2250	3325
H50H	4360	4310	2250	3350
H56H	5610	4880	2270	3445

TYPHOON RANGE


ALUMINIUM • RETRACTABLE • CENTRE COLUMN • W41 WIND RATING

SQUARE,
CENTER COLUMN




MODEL	L	W	H	H1
T24S	2380	2380	2250	3140
T30S	3130	3130	2250	3340
T35S	3500	3500	2250	3366
T40S	4000	4000	2410	3530

RECTANGULAR
CENTER COLUMN



MODEL	L	W	H	H1
T43R	3950	2950	2370	3400

HEXAGONAL
CENTER COLUMN




MODEL	L	W	H	H1
T44H	4415	3830	2250	3325
T50H	4360	4310	2250	3350
T56H	5610	4880	2270	3445

SPECIFICATIONS

VISTA RANGE


STRUCTURAL STEEL • RETRACTABLE • CANTILEVER • W33 WIND RATING

SQUARE,
CANTILEVER




MODEL	L	W	H	H1
V24S	2380	2380	2250	3760
V30S	3130	3130	2250	3803
V35S	3500	3500	2250	3803
V40S	4000	4000	2410	3803
V50S	5000	5000	2500	4000

RECTANGULAR
CANTILEVER



MODEL	L	W	H	H1
V43R	3950	2950	2370	3803

HEXAGONAL
CANTILEVER




MODEL	L	W	H	H1
V44H	4415	3830	2250	3545
V50H	4360	4310	2250	3578
V56H	5610	4880	2270	3637

HYPAR RANGE

STRUCTURAL STEEL • FIXED • CENTRE • W41 WIND RATING

SQUARE,
CENTER COLUMN




MODEL	L	W	H	H1
H30H	3000	3000	2250	3380
H40H	4000	4000	2250	3680
H50H	5000	5000	2300	3990

PANORAMA RANGE


STRUCTURAL STEEL • FIXED • CENTRE, CANTILEVERED OR GAZEBO • W41 WIND RATING

SQUARE,
CENTER COLUMN




	L	W	H	H1
P30S	3000	3000	2400	3380
P40S	4000	4000	2400	3680
P50S	5000	5000	2400	3990
P60S	6000	6000	2400	4446

SQUARE,
CANTILEVER



MODEL	L	W	H	H1
P30SC	3000	3000	2400	3735
P40SC	4000	4000	2400	4040
P50SC	5000	5000	2400	4360
P60SC	6000	6000	2400	4810

GAZEBO,
FIXED



MODEL	L	W	H	H1
P50SG	5000	5000	2400	3990
P60SG	6000	6000	2400	4450
P80SG	8000	8000	2400	4850

SPECIFICATION MATRIX

Skyspan Umbrella Range	Portable 	Horizon 	Sunset 	Typhoon 	Vista 	Paragon 	Hypa 
Shapes Available							
 Square	•	•	•	•	•	•	•
 Rectangle		•	•	•	•		
 Hexagonal		•	•	•	•		
Wind Rating							
 Up to 60Kmh	•						
 W33- up to 112Kph		•	•		•		•
 W41- up to 148Kph			•	•	•	•	•
Frame Material							
 Steel					•	•	•
 Aluminium	•	•	•	•			
Frame Type							
 Center Column	•	•	•	•		•	•
 Cantilever					•	•	•
 Gazebo						•	
Umbrella Features							
 Fixed Open		•				•	•
 Retractable Fixed			•	•	•		
 Retractable Portable	•						
 Perimeter frame						•	
Accessories							
 Side Curtains		•			•	•	•
 Lighting Systems		•	•	•	•	•	•
 Electric Heaters		•	•	•	•	•	•
 Power Points		•	•	•	•	•	•
 Speaker systems		•	•	•	•	•	•
 Link Panels		•		•	•	•	•
 Corporate Branding		•	•	•	•	•	•
 Remote Electrical Retraction System			•	•	•		
 360 Degree Pivot Base					•	•	•
 Gutter System		•	•		•	•	

ACCREDITATIONS

HOUSING INDUSTRY ASSOCIATION	
MASTER BUILDERS ASSOCIATION	
OHS PREQUALIFICATION 00674	
SPECIALISED TEXTILES ASSOCIATION	
VINYL PLUS	
VINYL LOOP	
LOCAL BUY	
AUSTRALIAN MADE	

YOUR LOCAL DEALER:

Coolabah Shades
10A Capella Crescent
Moorabbin, 3189
Tel: 03 9078 4533

www.coolabahshades.com.au

info@coolabahshades.com.au

