

ELEMENTS DESIGN



ELEMENTS




Cleaning
& Care



Explanation
of symbols

The **ELEMENTS quality** scores with its fine textile character. Textured staple fiber acrylic yarns are woven together in the warp and weft, which results in a surface with unique haptic effects. All our sun protection fabrics are covered with our special **TEXgard Easy Clean Finish** for weather protection which makes the fabrics perfect for their use outdoors.

**100%
ACRYLIC STAPLE FIBER**




ELEMENTS DESIGN



320 993
Dubbo



320 923
Seagull



320 963
Stucco



320 888
Flight



320 974
Melbourne



320 954
Portland



320 925
Flint



320 910
Pillar



320 994
Karratha



364 598
Emerald



320 253
Wooden




320 715
Morocca



320 967
Contrails



320 556
Cairns



320 555
Cruise



315 082
Latitude



315 352
Downtown



315 052
Yellow White



315 167
Red White



315 422
Blue White



315 525
Maritime



315 105
Black White



315 404
Eclipse



Sattler
Visualiser




<https://suntex.sattler.com/en/design-selector/design-selector-sunprotection-fabrics>




ELEMENTS SOLIDS



314 919
Toast



314 723
Sea Salt



314 154
Black



314 638
Pepper



314 402
Meteor



314 398
Charcoal



314 085
Bourke




314 840
Asphalt



314 028
Kembla



314 085
Bourke



314 083
Hammersley



314 325
Parchment



314 941
Pewter



314 364
Stawell




314 010
White



314 917
Toffee



314 403
Cappuccino



314 803
Satellite



314 819
Stone



314 020
Linen



314 851
Smooth Cream



314 070
Oyster



314 814
Beach



314 045
Daffodil



314 003
Yellow



314 763
Burgundy



314 001
Red



314 414
Ocean



314 006
Regal Blue



314 546
Denim



314 525
Space



314 362
Heritage Green




314 624
Wilderness



p 1300 854 811
f 1300 658 889
fabrics@hvg.net.au
hvgfabrics.com.au

Sattler Visualiser




© 2023 Sattler SUN-TEX / HVG Brochure Elements 2023 AUS 1.0

FACTS

314/315/320/364 ELEMENTS

Applications



 DIN 60 001	100 % PAN	 DIN EN ISO 13934-1	100 daN / 5 cm
 DIN EN 12127	290 g / m ²	 DIN EN ISO 105-B04	● min. 7/8* ● min. 4-5/5*
 EN ISO 4920	Note: 100		120 cm
 DIN EN ISO 811	370 mm	 DIN EN ISO 105-B02	● min. 7/8
 DIN ISO 9354	L 1/1	 Declaration of conformity	
 DIN EN ISO 13934-1	145 daN / 5 cm		

* white on request

COOLABAH SHADES

10A Capella Crescent
Moorabbin
Ph 0413 661 575
info@coolabahshades.com.au
www.coolabahshades.com.au

